


S STRUCTURE TABLE				
STRUCTURE ID	NORTHING	EASTING	RIM ELEVATION	INVERT ELEVATIONS
CB-1	920098.50	7336317.38	48.92	IE 4" OUT=45.05 (NW) IE 4" IN=44.36 (SE) IE 6" OUT=44.18 (S) IE 6" IN=41.70 (W)
CO-2	920253.40	7336316.48	51.36	IE 4" IN=46.09 (S) IE 4" OUT=46.09 (NE)
CO-3	920153.89	7336306.58	49.87	IE 4" IN=45.47 (N) IE 4" OUT=45.47 (S)
CO-4	920260.50	7336343.17	51.87	IE 4" IN=44.54 (E) IE 6" OUT=44.54 (SW)
CO-5	920249.18	7336329.34	51.62	IE 4" IN=45.53 (N) IE 4" OUT=45.53 (S)
CO-6	920264.66	7336330.23	51.61	IE 4" IN=43.52 (N) IE 4" OUT=43.52 (SW)
CO-7	920208.02	7336325.30	51.04	IE 4" IN=45.53 (N) IE 4" OUT=45.53 (S)
CO-8	920142.22	7336318.83	49.72	IE 4" IN=45.53 (N) IE 4" OUT=45.53 (S)
GREASE INTERCEPTOR-1	920215.81	7336326.06	51.11	IE 4" IN=39.74 (E) IE 3" OUT=45.65 (N)
LIFT STATION-1	920139.56	7336107.69	49.99	

S STRUCTURE TABLE				
STRUCTURE ID	NORTHING	EASTING	RIM ELEVATION	INVERT ELEVATIONS
MH-4	920130.16	7336304.22	49.26	IE 4" IN=42.96 (NE) IE 4" IN=44.36 (SE) IE 6" IN=41.70 (N) IE 6" OUT=41.70 (W)
VAULT-1	920144.07	7336107.88	49.99	IE 3" IN=45.65 (S) IE 3" OUT=45.65 (N)

S STRUCTURE TABLE		
STRUCTURE ID	NORTHING	EASTING
HB-7 (45°)	920374.44	7336108.53
HB-8 (45°)	920356.22	7336125.17
HB-31 (45°)	920157.37	7336116.14
HB-32 (45°)	920150.06	7336108.14
STUB-2	920260.20	7336346.15
STUB-3	920263.05	7336346.43



- SHEET NOTES**
- PIPE BEDDING AND BACKFILL FOR ALL UTILITIES SHALL BE DONE PER DETAIL 1/C7.1.
 - STRUCTURES LOCATIONS ARE BASED ON CENTER OF STRUCTURE.
- KEY NOTES**
- | NOTE | DESCRIPTION | DETAIL REF. |
|------|--|-------------|
| 1 | CONNECT TO 4" PUBLIC SANITARY FORCEMAIN VIA HORIZONTAL BEND. | |
| 2 | INSTALL GREASE INTERCEPTOR. REFERENCE PLUMBING PLANS FOR SIZE. | |
| 3 | INSTALL STANDARD MANHOLE. | 4/C7.1 |
| 4 | INSTALL STANDARD CLEANOUT. | 2/C7.1 |
| 5 | INSTALL SANITARY LIFT STATION | 1/C7.4 |
| 6 | INSTALL 2" GREASE INTERCEPTOR VENT LINE. | |
| 7 | INSTALL AREA DRAIN WITH P-TRAP IN TRASH ENCLOSURE | 7/C7.1 |
| S | CONNECT TO WASTE LINE. SEE PLUMBING PLANS FOR CONTINUATION. SIZE AS NOTED. | |
| !! | UTILITY CROSSING. PROVIDE 12" MIN. CLEARANCE, U.N.O. | |

File: N:\A\2019\190113-Warrenton-Hammond-MS\CAD\PLT\PHASE-1\190113-06.5-WT-FRE.dwg TAB.C6.5
 Plotted: 2/2/20 at 2:05pm by: rccola



WARRENTON MIDDLE SCHOOL
 WARRENTON-HAMMOND SCHOOL DISTRICT
 11500 NW AVENUE
 WARRENTON, OR

SITE DEVELOPMENT PACKAGE
 02-28-2020
 Revisions

74-19127-00
 SANITARY SEWER PLAN

C6.5

